

Quzyttir Order Form

Select	patient referral location:	🗆 Blue Ash	Cleveland	Crestview Hills	□ Sprinafield	West Cincinnati
OCICOL	patient referrar location.					

□ Other _____

Toll Free Phone: 877-787-8720 • www.horizoninfusions.com

1. PATIENT INFORMATIO	N					
Name:			DOB:			
Home phone:			Other phone:			
Email:						
Social Security #:			Allergies:			
Gender: 🗆 M 🗆] F		Weight: 🗆 Lbs 🗆 Kg			
Patient Status: 🛛 New t	to therapy 🛛 🗆 Continuing th	nerapy 🗆 N	lext due date (if applicable):			
2. PHYSICIAN INFORMAT	ΓΙΟΝ					
Physician's name:			NPI#:			
License #:	TIN#:		DEA#:			
Address:	I					
City:			State:	Zip:		
Office contact:			Email:			
Office phone:			Office fax:			
	TION (and year of diagnosis)					
□ Acute Urticaria (ICD 1 0						
Other (specify):						
4. INSURANCE INFORMA Please submit copies of the	ATION front and back or primary and sec	ondary insuran	ce cards with this referral.			
5. PRESCRIPTION INFOR	RMATION (requires new order even	ry 12 months)				
QUZYTTIR						
		PRE-IVIE				
-	12 years of age		DICATIONS \Box N/A nophen \Box 500mg \Box 650mg	□ 1000mg PO		
Adults/Adolescents ≥		🗆 Acetamiı	nophen 🛛 500mg 🗌 650mg			
Adults/Adolescents ≥	12 years of age minutes once Q 24 hours	□ Acetamiı □ Fexofena	nophen 🛛 500mg 🗌 650mg adine (Allegra) 180mg PO (or other no	on-sedating anti-histamine)		
Adults/Adolescents ≥	minutes once Q 24 hours	 □ Acetamin □ Fexofena □ Diphenh 	nophen 🛛 500mg 🗆 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) 🔲 25mg 🔲 5	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2	minutes once Q 24 hours	 □ Acetamin □ Fexofena □ Diphenh □ Methylph 	nophen 🛛 500mg 🖓 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) 🖓 25mg 🖓 5 rednisolone (Solu-Medrol) 🖓 40n	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of	minutes once Q 24 hours	 □ Acetamin □ Fexofena □ Diphenh □ Methylph 	nophen	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of 5 mg IVP	minutes once Q 24 hours	 Acetamin Fexofena Diphenhi Methylph Predniso Other: 	nophen	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of 5 mg IVP	minutes once Q 24 hours age	 Acetamin Fexofena Diphenh Methylpn Predniso Other: POST-M 	nophen □ 500mg □ 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) □ 25mg □ 5 rednisolone (Solu-Medrol) □ 40m onemg PO mg PO mg PO	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of 5 mg IVP 10 mg IVP	minutes once Q 24 hours age ocol	 Acetamin Fexofena Diphenh Methylpn Predniso Other: POST-M Acetamin 	nophen □ 500mg □ 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) □ 25mg □ 5 rednisolone (Solu-Medrol) □ 40m onemg PO mg PO mg PO	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Proto	minutes once Q 24 hours age ocol	 Acetamin Fexofena Diphenh Methylpn Predniso Other: POST-M Acetamin Predniso 	nophen □ 500mg □ 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) □ 25mg □ 5 rednisolone (Solu-Medrol) □ 40m onemg PO EDICATIONS □ N/A nophen □ 500mg □ 650mg	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 m Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Protoco Anaphylaxis & Hydration HI Protocol	minutes once Q 24 hours age ocol	 Acetamin Fexofena Diphenh Methylpn Predniso Other: POST-M Acetamin Predniso 	nophen □ 500mg □ 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) □ 25mg □ 5 rednisolone (Solu-Medrol) □ 40n onemg PO EDICATIONS □ N/A nophen □ 500mg □ 650mg onemg PO	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 f Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Proto Anaphylaxis & Hydratic HI Protocol 6. LABS	minutes once Q 24 hours age ocol on Management per	 Acetamin Fexofena Diphenh Methylpn Predniso Other: POST-M Acetamin Predniso Other: 	nophen □ 500mg □ 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) □ 25mg □ 5 rednisolone (Solu-Medrol) □ 40m onemg PO EDICATIONS □ N/A nophen □ 500mg □ 650mg onemg PO	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 1 Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Proto Anaphylaxis & Hydratic HI Protocol 6.LABS CBC w/Diff	minutes once Q 24 hours age ocol on Management per	 Acetamin Fexofena Diphenh Methylpn Predniso Other: POST-M Acetamin Predniso Other: 	nophen □ 500mg □ 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) □ 25mg □ 5 rednisolone (Solu-Medrol) □ 40m onemg PO EDICATIONS □ N/A nophen □ 500mg □ 650mg onemg PO	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 1 Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Protoco Anaphylaxis & Hydratic HI Protocol 6.LABS CBC w/Diff CRP	minutes once Q 24 hours age ocol on Management per □ each infusion □ each infusion	 Acetamin Fexofena Diphenh Methylpi Predniso Other: POST-M Acetamin Predniso Other: Other: Other free Other free 	nophen □ 500mg □ 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) □ 25mg □ 5 rednisolone (Solu-Medrol) □ 40m onemg PO EDICATIONS □ N/A nophen □ 500mg □ 650mg onemg PO mg PO	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Protoco Anaphylaxis & Hydrati HI Protocol 6. LABS CBC w/Diff CRP CMP	minutes once Q 24 hours age ocol on Management per each infusion each infusion each infusion	 Acetamin Fexofena Diphenhi Methylpi Predniso Other: POST-M Acetamin Predniso Other: Other free Other free Other free Other free 	nophen 500mg 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) 25mg 5 rednisolone (Solu-Medrol) 40m one mg PO EDICATIONS N/A nophen 500mg gruency (specify): mg PO equency (specify): mg PO equency (specify): mg PO	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Protoco Anaphylaxis & Hydratic HI Protocol 6. LABS CBC w/Diff CRP CMP ESR	minutes once Q 24 hours age ocol on Management per each infusion each infusion each infusion each infusion each infusion	 Acetamin Fexofena Diphenhi Methylpi Predniso Other: POST-M Acetamin Predniso Other: Other: Other free 	nophen 500mg 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) 25mg 5 rednisolone (Solu-Medrol) 40m one mg PO EDICATIONS N/A nophen 500mg equency (specify): mg PO equency (specify): mg PO equency (specify): mg PO equency (specify): mg PO equency (specify): mg PO	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Protocol Anaphylaxis & Hydratie HI Protocol 6. LABS CBC w/Diff CRP CMP ESR Hepatic Panel	minutes once Q 24 hours age ocol on Management per each infusion each infusion each infusion each infusion each infusion each infusion	 Acetamin Fexofena Diphenhi Methylpi Predniso Other: POST-M Acetamin Predniso Other: Other: Other free 	nophen 500mg 650mg adine (Allegra) 180mg PO (or other nore ydramine (Benadryl) 25mg 5 ydramine (Benadryl) 25mg 5 rednisolone (Solu-Medrol) 40m one mg PO EDICATIONS N/A nophen 500mg equency (specify):	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-2 Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Protocol Anaphylaxis & Hydratic HI Protocol 6. LABS CBC w/Diff CRP CMP Hepatic Panel Renal Panel	minutes once Q 24 hours age ocol on Management per each infusion each infusion each infusion each infusion each infusion each infusion each infusion each infusion	 Acetamin Fexofena Diphenh Methylpp Predniso Other: POST-M Acetamin Predniso Other: Other: Other free 	nophen 500mg 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) 25mg ydramine (Benadryl) 25mg rednisolone (Solu-Medrol) 40m one mg PO EDICATIONS N/A nophen 500mg 650mg one mg PO equency (specify): equency (specify): equency (specify): equency (specify): equency (specify): equency (specify):	on-sedating anti-histamine) 50mg		
Adults/Adolescents ≥ 10 mg IVP over 1-21 Children 6-11 years of 5 mg IVP 10 mg IVP Vital signs per HI Protocol Anaphylaxis & Hydratic HI Protocol 6. LABS CBC w/Diff CRP CMP ESR Hepatic Panel Quantiferon TB Gold, a	minutes once Q 24 hours age ocol on Management per each infusion each infusion each infusion each infusion each infusion each infusion each infusion each infusion	 Acetamin Fexofena Diphenh Methylpi Predniso Other: POST-M Acetamin Predniso Other: Other free 	nophen 500mg 650mg adine (Allegra) 180mg PO (or other no ydramine (Benadryl) 25mg srednisolone (Solu-Medrol) 40m one mg PO EDICATIONS N/A nophen 500mg 650mg one mg PO equency (specify):	on-sedating anti-histamine) 50mg		

7. SIGNATURE (required)